SYMMONS® Symmetrix™

Lavatory Faucet *SLS-2012-DP4-RP*

Installation and Service Instructions

Model Number

SLS-2012-DP4-RP
Lavatory faucet with lift rod and pop-up drain assembly, p/n LN-01299

Decorative Finish Code

Append to part numbers when applicable

-- Chrome (standard)

Tools & Materials



☎ Need Help?

Contact Symmons customer service at
(800) 796-6667, (781) 848-2250
Email: customerservice@symmons.com
Monday - Friday 7:30 am - 7:00 pm EST

Please check Symmons website for technical help, the latest product information and warranty policy.
www.symmons.com/service

Quick Install Guide Symmetrix Lavatory Faucet, *SLS-2012 Series*



Installation Instructions

If replacing an older faucet ensure water supply is turned OFF before removing, then open faucet valves to relieve water pressure.

1



2



3



4



5



6

Valve cartridge replacement



Care of faucet finish

Use mild soap and water or non-abrasive cleaner to clean finished area and then rinse immediately. A non-abrasive wax may be used to preserve finish area.



Dimensions Symmetrix Lavatory Faucet, *SLS-2012-DP4-RP*



Note:
(1) Dimensions subject to change without notice.

Parts Assembly Symmetrix Lavatory Faucet, *SLS-2012-DP4-RP*



Replacement Parts	
Part Number	**Item**
LN-01417	Cartridge
FLR-110-1.5	Aerator & retainer 1.5 gpm (5.7 L/min)
LN-01449	Handle kit plug button Allen screw handle  *2.5 mm Allen wrench required (not included)*

Ordering replacement parts:
Call Symmons customer service at (800) 796-6667, (781) 848-2250 M-F 7:30 am - 7:00 pm EST or check our website at ww.symmons.com for a list of Symmons distributors.

Symmons Industries, Inc. ▪ 31 Brooks Drive ▪ Braintree, MA 02184 ▪ ©2012 Symmons Industries, Inc. ▪ Printed in U.S.A.
(800)796-6667, (781)848-2250 ▪ Fax: (800)961-9621, (781)664-1300 ▪ www.symmons.com ▪ customerservice@symmons.com
Model# SLS-2012-DP4-RP ▪ p/n LN-01299 ▪ Document# ZV-1080 ▪ RevDate 110713